

Архангельск (8182)63-90-72
 Астана (7172)727-132
 Астрахань (8512)99-46-04
 Барнаул (3852)73-04-60
 Белгород (4722)40-23-64
 Брянск (4832)59-03-52
 Владивосток (423)249-28-31
 Волгоград (844)278-03-48
 Вологда (8172)26-41-59
 Воронеж (473)204-51-73
 Екатеринбург (343)384-55-89
 Иваново (4932)77-34-06

Ижевск (3412)26-03-58
 Иркутск (395)279-98-46
 Казань (843)206-01-48
 Калининград (4012)72-03-81
 Калуга (4842)92-23-67
 Кемерово (3842)65-04-62
 Киров (8332)68-02-04
 Краснодар (861)203-40-90
 Красноярск (391)204-63-61
 Курск (4712)77-13-04
 Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
 Москва (495)268-04-70
 Мурманск (8152)59-64-93
 Набережные Челны (8552)20-53-41
 Нижний Новгород (831)429-08-12
 Новокузнецк (3843)20-46-81
 Новосибирск (383)227-86-73
 Омск (3812)21-46-40
 Орел (4862)44-53-42
 Оренбург (3532)37-68-04
 Пенза (8412)22-31-16

Пермь (342)205-81-47
 Ростов-на-Дону (863)308-18-15
 Рязань (4912)46-61-64
 Самара (846)206-03-16
 Санкт-Петербург (812)309-46-40
 Саратов (845)249-38-78
 Севастополь (8692)22-31-93
 Симферополь (3652)67-13-56
 Смоленск (4812)29-41-54
 Сочи (862)225-72-31
 Ставрополь (8652)20-65-13

Сургут (3462)77-98-35
 Тверь (4822)63-31-35
 Томск (3822)98-41-53
 Тула (4872)74-02-29
 Тюмень (3452)66-21-18
 Ульяновск (8422)24-23-59
 Уфа (347)229-48-12
 Хабаровск (4212)92-98-04
 Челябинск (351)202-03-61
 Череповец (8202)49-02-64
 Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47

Россия (495)268-04-70

Казахстан (772)734-952-31

<https://impulse.nt-rt.ru/> || ipf@nt-rt.ru

In the first place, we used one bushing instead of the two ones as applied on a majority of similar products. In the second place, such bushing can be replaced without using any special service tools. Our Impulse hydraulic breakers are easy-to-maintenance units and no supplement appliances are required. An operator can solely carry out preventive maintenance saving both time and money.

Another significant and unchallengeable benefit of the product to be typical for highly priced and innovative models is the low hydraulic breaker weight while no impact energy is reduced but increased. Beginning from the small-weight models and ending by large-weight ones, our hydraulic breakers are approximately fifteen per cent lighter than equivalent models produced by our competitors.

There is the today's tendency to improving performance of any similar-weight product with duration of its service life saved. No need to use heavy-duty excavators, spend money on its service or maintenance.

Special breakers' bodies and damping systems; monolith concept design and breaker unit sleeve-type design; special highly resistant seals; improved impact unit speed and, as a result, improved impact energy performance.



If we stop pointing out the advantages of Impulse breakers at these features it is already enough to make a choice of Impulse hydraulic breakers among similar products produced by world manufacturers.

| Model | Weight of base machine, t | Tool diam., mm | Weight, kg | Frequency, bpm | Working pressure, bar | Oil flow, l/min |
|--------------|---------------------------|----------------|------------|----------------|-----------------------|-----------------|
| Impulse 100S | 1 – 5 | 68 | 260 | 800 – 1'600 | 90 – 130 | 30 – 50 |
| Impulse 120S | 4 – 9 | 68 | 285 | 500 – 1'000 | 90 – 130 | 30 – 50 |
| Impulse 150S | 5 – 11 | 75 | 325 | 500 – 1'000 | 130 – 150 | 40 – 80 |
| Impulse 300S | 10 – 20 | 105 | 705 | 450 – 950 | 150 – 170 | 80 – 110 |
| Impulse 400S | 12 – 21 | 120 | 1'100 | 400 – 900 | 150 – 180 | 90 – 160 |
| Impulse 450S | 18 – 26 | 135 | 1'580 | 400 – 800 | 160 – 180 | 130 – 150 |
| Impulse 500S | 27 – 40 | 150 | 2'180 | 350 – 700 | 160 – 180 | 190 – 250 |
| Impulse 600S | 33 – 50 | 160 | 3'195 | 300 – 600 | 160 – 180 | 190 – 250 |